

Advantix Vario
Advantix Basic
Advantix




viega



Vario-Tuš kanalice

Karakteristike:

- Varijabilna duljina: 300–1200 mm, moguće produljenje do ukupne duljine nasadnika 2800 mm
- Zaobljene i kutne izvedbe moguće su s duljinom krakova do 160 cm
- Učinak odvoda: 0,4–0,8 l/s – ovisno o duljini kanalice
- Montažna visina: 90–165 mm
- Nasadnik u četiri izvedbe: matirana, sjajna, crna i bijela




**Advantix Vario-Tuš kanalica
osnovno kućište**
Model 4965.10, br. art. 686 277



Advantix Vario-Nasadnik, 30–120 cm

Tip	Izvedba	Mod. br.
SR 1	matiran plemeniti čelik	4965.30
SR 2	sjajni plemeniti čelik	4965.31
SR 3	crna	4965.32
SR 5	bijela	4965.33



Advantix Vario-Spojni element
Model 4965.12



Advantix Vario-Završni zaporni komad
Model 4965.16



Advantix Vario Vario-Spojni element 90°
Model 4965.14



Advantix Vario-Garnitura nasadnika, 20 cm
Modeli 4965.60 matiran plemeniti čelik,
4965.61 sjajni plemeniti čelik, 4965.62 crna,
4965.63 bijela



Advantix Vario-Set pribora**
Model 4965.50 matiran plemeniti čelik,
sjajni plemeniti čelik, crna, bijela



Advantix Vario-Set pribora*
Model 4965.51 matiran plemeniti čelik, sjajni
plemeniti čelik, crna,

Za podove od prirodnog kamena visine do 30 mm može se naručiti poseban komplet pribora.
* Za krakove dulje od 120 cm dodatno je neophodan nasadnik od 20 cm.



Advantix tuš kanalice Basic

Karakteristike:

- Fiksna duljina: 750, 800, 900, 1000, 1200 mm
- Učinak odvoda: 0,8-1 l/s – ovisno o duljini kanalice
- Montažna visina: 90 - 150 mm
- Rešetka u više izvedbi

Advantix tuš kanalice Basic osnovno kućište Mod. br. 4980.10

Br. artikla	Duljina u mm
655 082	750
655 099	800
655 105	900
655 112	1000
655 129	1200





Advantix tuš kanalice Basic zidna izvedba osnovno kućište Mod. br. 4980.30

Br. artikla **Duljina u mm**


658 953 750

658 946 800

658 960 900

658 977 1000

658 984 1200



Uz osnovno kućište mod. br. 4980.10, 4980.30 i 4964.80 odaberite jednu od 5 izvedbi rešetke:



Rešetka Visign ER 1

Plemeniti čelik

Mod. br. 4960.30 matiran, Mod. br. 4960.31 sjajni



Rešetka Visign ER 2

Plemeniti čelik

Mod. br. 4960.40 matiran, Mod. br. 4960.41 sjajni



Rešetka Visign ER 3

Plemeniti čelik

Mod. br. 4971.10 matiran, Mod. br. 4971.11 sjajni



Rešetka Visign ER 4

S prostorom za postavljanje keramičkog uloška

Mod. br. 4971.20 matiran




Rešetka Visign ER 9

Mod. br. 4971.80 bijelo staklo,

Mod. br. 4971.90 crno staklo

Advantix tuš kanalice



Karakteristike:

- Fiksna duljina: 750, 800, 900, 1000, 1200 mm
- Učinak odvoda: 0,8-1 l/s – ovisno o duljini kanalice
- Montažna visina: 90-150 mm
- Rešetka u više izvedbi

Advantix tuš kanalica osnovno kućište Mod. br. 4964.10

Br. artikla	Duljina u mm
619 053	750
619 060	800
619 077	900
619 084	1000
619 091	1200



Brtvljenje:



Brtnjena traka
Mod. br. 4964.95



Montažno ljepilo
Mod. br. 4938.22


Montaža:



Set prilagodljivih nožica
Mod. br. 4964.90

Advantix tuš kanalicica osnovno kućište
Mod. br. 4964.80

Br. artikla	Duljina u mm
618 001	750
618 018	800
618 025	900
618 032	1000
618 049	1200



Advantix-Rešetka

Tip (vidi str. 5)	Duljina u mm
ER 1	4960.30, 4960.31
ER 2	4960.40, 4960.41
ER 3	4971.10, 4971.11
ER 4	4971.20
ER 9	4971.80, 4971.90

Brtvljenje:



Brtna traka
 Mod. br. 4964.95



Montažno ljepilo
 Mod. br. 4938.22

Montaža:



Set prilagodljivih nožica
 Mod. br. 4964.90

Viega GmbH & Co. KG

Viega Platz 1
57439 Attendorn
Germany

Phone +49 2722 61-1292

Fax +49 2722 61-1268

www.viega.com

Viega GmbH & Co. KG

Podružnica Zagreb za trgovinu
Trg Ante Starčevića 9
10410 Velika Gorica

Telefon/faks: +385 1 622 48 79

info@viega.hr

www.viega.hr

